



APPLICATION FOR PERMIT
TO APPROPRIATE PUBLIC WATERS OF THE STATE OF WASHINGTON

☐ SURFACE WATER

☒ GROUND WATER

AUG - 8 1990

\$10.00 MINIMUM STATUTORY EXAMINATION FEE REQUIRED WITH APPLICATION
(GRAY BOXES FOR OFFICE USE ONLY)

APPLICATION NO G 430421	W.R.I.A. 49	COUNTY Okanogan	PRIORITY DATE 8-8-90	TIME	ACCEPTED [Signature]
APPLICANT'S NAME - PLEASE PRINT Lloyd E. Caton Jr.			BUSINESS TEL. 486-4935		
ADDRESS (STREET) Box 742 Lemanasky Road			HOME TEL. (509) 486-4154		
(CITY) Tonasket			(STATE) Washington		(ZIP CODE) 98855
DATE & PLACE OF INCORPORATION IF APPLICANT IS A CORPORATION					

1. SOURCE OF SUPPLY

IF SURFACE WATER	IF GROUND WATER
SOURCE (NAME OF STREAM, LAKE, SPRING, ETC.) (IF UNNAMED, SO STATE)	SOURCE (WELL, TUNNEL, INFILTRATION TRENCH, ETC.) A well
TRIBUTARY	SIZE AND DEPTH 36 inch concrete tile casing 20 feet deep

2. USE

USE TO WHICH WATER IS TO BE APPLIED (DOMESTIC SUPPLY, IRRIGATION, MINING, MANUFACTURING, ETC.)
continuous single domestic and livestock water

ENTER QUANTITY OF WATER REQUESTED USING UNITS OF: 1.5 CFS Approx	CUBIC FEET PER SECOND	OR	GALLONS PER MINUTE 9 GPM Approx	ACRE FEET PER YEAR 3.42 Approx
--	-----------------------	----	---	--

TIMES DURING YEAR WATER WILL BE REQUIRED
all year

IF IRRIGATION, NUMBER OF ACRES	IF DOMESTIC USE, NUMBER OF UNITS BY TYPE, E.G. 1-HOME, 1-MOBILE HOME, 2-CAMPSITES, ETC. one single family home	IF MUNICIPAL USE, ESTIMATED POPULATION 20 YEARS FROM TODAY
DATE PROJECT WAS OR WILL BE STARTED 1987	DATE PROJECT WAS OR WILL BE COMPLETED 1987	

3. LOCATION OF POINT OF DIVERSION/WITHDRAWAL

3A. IF IN PLATTED PROPERTY

LOT	BLOCK	OF (GIVE NAME OF PLAT OR ADDITION)	SECTION	TOWN	RANGE	ALSO, PLEASE ENCLOSE A COPY OF THE PLAT AND MARK THE POINT(S) OF WITHDRAWAL OR DIVERSION
-----	-------	------------------------------------	---------	------	-------	--

3B. IF NOT IN PLATTED PROPERTY

ON ACCOMPANYING SECTION MAPS, ACCURATELY MARK AND IDENTIFY EACH POINT OF DIVERSION. SHOW NORTH-SOUTH AND EAST-WEST DISTANCES FROM NEAREST SECTION CORNER OR PROPERTY CORNER.

ALSO, ENTER BELOW THE DISTANCES FROM THE NEAREST SECTION OR PROPERTY CORNER TO THE DIVERSION OR WITHDRAWAL.
400 feet south and 500 feet west of the west quarter corner S22 R26 T37N EWM

LOCATED WITHIN (SMALLEST LEGAL SUBDIVISION) NE 1/4 SE 1/4 S21 R26 (T37N) EWM	SECTION 21	TOWNSHIP N. 37	RANGE (E. OR W.) W.M. 26 EWM	COUNTY Okanogan
--	----------------------	--------------------------	--	---------------------------

4. DO YOU OWN THE LAND ON WHICH THIS SOURCE IS LOCATED. IF NOT, INSERT NAME & ADDRESS OF OWNER

No Lloyd E Caton Sr., owner 981 Lemanasky Rd. Tonasket, Wa. 98855

5. LEGAL DESCRIPTION OF PROPERTY ON WHICH WATER IS TO BE USED

ATTACH A COPY OF THE LEGAL DESCRIPTION OF THE PROPERTY (ON WHICH THE WATER WILL BE USED) TAKEN FROM A REAL ESTATE CONTRACT, PROPERTY DEED OR TITLE INSURANCE POLICY. OR, COPY CAREFULLY IN THE SPACE BELOW.


That portion of the SE 1/4 SE 1/4 S21 R26 T37N EWM described as follows: Beginning at the NE corner SE 1/4 SE 1/4 of said S21, go West a distance of 563 feet along sub-division line to the true point of beginning; Thence go south a distance of 208.7 feet, thence west a distance of 208.7 feet, thence north a distance of 208.7 feet to the north boundary line of SE 1/4 SE 1/4 S21 thence east along sub-division line a distance of 208.7 feet to the point of beginning, containing one (1) acre.

WHAT IS YOUR INTEREST IN THE PROPERTY ON WHICH THE WATER IS TO BE USED (PROPERTY OWNER, LESSEE, CONTRACT PURCHASER, ETC.)

owner

ARE THERE ANY EXISTING WATER RIGHTS RELATED TO THE LAND ON WHICH THE WATER IS TO BE USED (INCLUDING WATER PROVIDED BY IRRIGATION DISTRICTS OR DITCH COMPANIES.) pending ☐ YES ☐ NO

IF YES, FROM WHAT SOURCE (I.E. SURFACE OR GROUND WATER) AND UNDER WHAT AUTHORITY
ground water DOE authority



6. DESCRIPTION OF SYSTEM PROPOSED OR INSTALLED

(FOR EXAMPLE: SIZE OF PUMP, CAPACITY OF PUMP, PUMP MOTOR HORSE POWER, PIPE DIAMETER, NUMBER OF SPRINKLERS, ETC.)

1300 feet 1 inch line

3/4 H.P. Berkley submersible

2 or three yard sprinklers

REMARKS

7.

IF 10 ACRE-FEET OR MORE OF WATER IS TO BE STORED AND/OR IF THE WATER DEPTH WILL BE 10 FEET OR MORE AT THE DEEPEST POINT, A STORAGE PERMIT MUST BE FILED IN ADDITION TO THIS PERMIT. THESE FORMS CAN BE SECURED, TOGETHER WITH INSTRUCTIONS, FROM THE DEPARTMENT OF ECOLOGY.

SIGNATURES

Lloyd E. Caton
LEGAL LANDOWNERS NAME
(PLEASE PRINT)

Lloyd E. Caton
APPLICANT'S SIGNATURE
Lloyd E. Caton
LEGAL LANDOWNER'S SIGNATURE

982 Lemanasky Rd. Tonasket, Wa. 98855
LEGAL LANDOWNER'S ADDRESS

FOR OFFICE USE ONLY

STATE OF WASHINGTON }
DEPARTMENT OF ECOLOGY } SS.

This is to certify that I have examined this application together with the accompanying maps and data, and am returning it for correction or completion as follows:


In order to retain its priority date, this application must be returned to the Department of Ecology, with corrections, on or before....., 19.....

Witness my hand this.....day of....., 19.....

.....
Department of Ecology

SECTION MAP

Sec. 21 Twp. 37 N. R. 26 EWH



Scale: 1 inch = 800 feet (each small square = 10 acres)

Show by a cross (X) the location of point of diversion (surface water source) or point of withdrawal (ground water source): For ground water applications, show by a circle (O) the locations of other wells or works within a quarter of a mile.

Indicate traveling directions from nearest town in space below.

Use Pine Creek Road, go exactly 10 miles from Tonasket City Center.


Turn sharply right onto narrow dirt road, go about 1 mile.

Use left hand road at "Y". Driveway is about 300 yards beyond Y on right. Well is about 3/4 mile beyond Y on left.

Detach here

G430421

Fold along scale



Your water right application will be processed by the Regional Office of the Department of Ecology having jurisdiction in the area in which your water works are located. Please submit your completed application form, maps, sketches and \$10.00 examination fee to the appropriate Regional Office.

Northeast Regional Office
4350 150th Avenue N.E.
Redmond, Washington 98052
Tel. (206) 885-1900

Southwest Regional Office
7272 Cleanwater Lane
Olympia, Washington 98504
Tel. (206) 753-2970

Central Regional Office
2802 Main Street
Union Gap, Washington 98903
Telephone 509-575-2800

Eastern Regional Office
103 East Indiana Avenue
Spokane, Washington 99207
Tel. (509) 456-2926

The appropriate Regional Office will be happy to answer any further questions you may have.